



# 22 Years

Focus on Air Purifier



Baren Home Appliance Technology(HongKong)Co.,Ltd  
Baren Home Appliance Technology (Dongguan) co.,Ltd

Fax: 0769-88602200

Tel: 0769-88602829 88602299

E-mail: [baren@baren.hk](mailto:baren@baren.hk)

<http://www.baren.hk>


Add: No.138, Niuguo Road, Qiufulu Village, Dalang Town, Dongguan, Guangdong Province, China.



# CONTENTS

<b>01</b>	<b>Company introduction</b> .....	<b>01</b>
	Honorary certificate	01
	Company profile	02
<b>02</b>	<b>Car&amp;Desktop Air Purifier Series</b> .....	<b>04</b>
	M01	04
	M02	05
	M03	06
	B-D02U	08
	B-D02A/B-D02H/B-D02L	09
	B-D03	10
	B-D06	11
	B-D09	12
	B-D01H	14
	B-V01	15
<b>03</b>	<b>Home Air Purifier Series</b> .....	<b>16</b>
	E-300	16
	E-400	17
	E-401	18
	E-600	20
	B-757M/B-H04	21
	B-626L	22
	W-676L	23
	B-H03/B-H06	24
<b>05</b>	<b>2 in 1 Air Purifier with Humidier Series</b> .....	<b>25</b>
	B-H05	25
<b>04</b>	<b>Commercial Air Purifier Series</b> .....	<b>26</b>
	C02	26
	c03/c04	27

# HONORARY CERTIFICATE



宝人电器

# 关于我们

## ABOUT US

### COMPANY

### PROFILE

## Who we are?

Baren Home Appliance Technology ( Dongguan) Co., Ltd, founded in 2001 with location at Dongguan, Guangdong, China, is a leading manufacturer of household, car, commercial used air purifier. And we accept all kinds of OEM and ODM projects.



Design



Development



Production



Sale

## What we have?

As a professional manufacturer, who focus in R&D, production, sales and after-sales of air purifier over 19 years, already have 6 series, more than 60 models (OEM & ODM) of air purifiers and air purifiers with humidifier. We have achieved CE, GS, ETL, ROHS, CQC and various other international certifications for these products, and have got 18 patents for invention, 22 utility model patents, 62 patents of appearance and 28 different categories of registered trademarks. Today, the products are predominantly marketed and sold in Europe, America, Asia and China.

Our company is ISO9001:2015 and BSCI (Business Social Compliance Initiative) certified., we always take strict quality control during production and pursue higher quality standard continuously. Meanwhile, we have obtained the Global Qualified Supplier qualification which issued by Made-in-China.com and SGS-CSTC Standards Technical Services Co.,Ltd.. We are not only the National High-tech Enterprise, but also the official example company of China Suppliers Business Credit



## Desktop Air Purifier Series

### M01

Power rating: 4W  
Air flow volume: 60m<sup>3</sup>/h  
Net weight: 0.8kgs  
Voltage supply: DC 5V  
Noise level: ≤48dB(A)  
Negative ions: ≥5.0×10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 8~10m<sup>2</sup> (85~108 ft<sup>2</sup>)  
Size: 150x150x200 (mm)

- Child lock
- Night light
- USB cable
- 2/4/6/8h timer
- Filter replacement indicator
- 3 fan speed and sleep mode
- Aromatherapy design
- 3 in 1 filter: Pre-filter&HEPA&Activated carbon filter



## Desktop Air Purifier Series

### M02

Power rating: 4W  
Air flow volume: 90m<sup>3</sup>/h  
Net weight: 1.5kgs  
Voltage supply: DC 5V  
Noise level: ≤52dB(A)  
Negative ions: ≥5.0×10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 12~15m<sup>2</sup> (128~161 ft<sup>2</sup>)  
Size: 185x185x405 (mm)

- Child lock
- USB cable
- Night light
- 2/4/6/8h timer
- Filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 filter: Pre-filter&HEPA&Activated carbon filter



## M03

Power rating: 22W  
Air flow volume: 200m<sup>3</sup>/h  
Net weight: 2.0kgs  
Voltage supply: 24V DC  
Noise level: ≤56dB(A)  
Negative ions: ≥5.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 25~30m<sup>2</sup> (270~323 ft<sup>2</sup>)  
Size: 180x180x365 (mm)

- Child lock
- Night light
- USB cable
- 2/4/6/8h timer
- Filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 filter: Pre-filter&HEPA&Activated carbon filter
- Optional: Optional function: PM2.5 sensor

## Desktop Air Purifier Series





# Desktop Air Purifier Series

## B-D02U

Power rating: 16W  
Air flow volume: 120m<sup>3</sup>/h  
Net weight: 1.7kgs  
Voltage supply: DC 24V  
Noise level: ≤50dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 13~16m<sup>2</sup> (140~172 ft<sup>2</sup>)  
Size: 180x180x317 (mm)

- Child lock
- 1/2/4/8 timer
- Night light
- filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 Filter: Pre-filter&HEPA&Activated carbon filter
- Optional: UVCLED light



## B-D02A

Power rating: 16W  
Net weight: 1.6kgs  
Voltage supply: DC 24V  
Air flow volume: 120m<sup>3</sup>/h  
Noise level: ≤50dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area:13~16m<sup>2</sup> (140~172 ft<sup>2</sup>)  
Size: 180x180x282 (mm)

- Child lock
- Night light
- Optional: UVC LED light
- filter replacement indicator
- 3 fan speed and sleep mode



## B-D02H

Power rating: 16W  
Net weight: 1.6kgs  
Voltage supply: DC 24V  
Air flow volume: 120m<sup>3</sup>/h  
Noise level: ≤50dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area:13~16m<sup>2</sup> (140~172 ft<sup>2</sup>)  
Size: 180x180x282 (mm)

- Child lock
- Night light
- 2/4/8 timer
- Optional: UVC LED light, Odor sensor
- filter replacement indicator
- 3 fan speed and sleep mode
- indoor temperature & humidity indication



## B-D02L

Power rating: 16W  
Net weight: 1.6kgs  
Voltage supply: DC 24V  
Air flow volume: 120m<sup>3</sup>/h  
Noise level: ≤50dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area:13~16m<sup>2</sup> (140~172 ft<sup>2</sup>)  
Size: 180x180x292 (mm)

- Child lock
- 1/2/4/8 timer
- Optional: UVC LED light
- filter replacement indicator
- 3 fan speed and sleep mode

## Desktop Air Purifier Series

### B-D03

Power rating: 22W  
Air flow volume: 150m<sup>3</sup>/h  
Net weight: 1.63kgs  
Voltage supply: DC 24V  
Noise level: ≤50dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 15~20m<sup>2</sup> (161~215 ft<sup>2</sup>)  
Size: 206x206x418 (mm)

- Child lock
- 2/4/8 timer
- Night light
- filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 Filter: Pre-filter&HEPA&Activated carbon filter
- Optional: UVC LED light, Odor sensor



## Desktop Air Purifier Series

### B-D06

Power rating: 10W  
Air flow volume: 70m<sup>3</sup>/h  
Net weight: 1.3kgs  
Voltage supply: DC 12V  
Noise level: ≤50dB(A)  
Applicable area: 8~11m<sup>2</sup> (85~118 ft<sup>2</sup>)  
Size: 160x160x260 (mm)

- Child lock
- 1/2/4/8 timer
- Night light
- filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 Filter: Pre-filter&HEPA&Activated carbon filter
- Aromatherapy design
- Optional: UVC LED light





## B-D09

Power rating: 22W  
Air flow volume: 180m<sup>3</sup>/h  
Net weight: 1.6kgs  
Voltage supply: DC24V  
Noise level: ≤53dB(A)  
Negative ions: ≥8.0×10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 24~27m<sup>2</sup> (246~291ft<sup>2</sup>)  
Size: 190x190x325 (mm)

- Child lock
- 2/4/8 timer
- Night Light
- filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 Filter: Pre-filter&HEPA&Activated carbon filter





## Desktop Air Purifier Series

### B-D01H

Power rating: 5W  
Air flow volume: 35m<sup>3</sup>/h  
Net weight: 0.7kgs  
Voltage supply: DC 5V  
Noise level: ≤45dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 3~5m<sup>2</sup> (32~54 ft<sup>2</sup>)  
Size: 115x115x209 (mm)

- Touch Panel
- USB cable
- filter replacement indicator
- 2 fan speed and sleep mode
- 2 in 1 Filter: HEPA&Activated carbon filter
- indoor temperature & humidity indication
- Optional: UVC LED light



## Car&Desktop Air Purifier Series

### B-V01

Power rating: 2.5W  
Air flow volume: 25m<sup>3</sup>/h  
Net weight: 0.38kgs  
Voltage supply: DC 5V  
Noise level: ≤45dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 3-5m<sup>2</sup> (32-54 ft<sup>2</sup>)  
Size: 160x160x75 (mm)

- IMD display
- USB cable
- filter replacement indicator
- One button touch control
- 2 in 1 Filter: HEPA&Activated carbon filter



## Home Air Purifier Series

### E-300

Power rating: 55W  
Air flow volume: 300m<sup>3</sup>/h  
Net weight: 4kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤62dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 31~36m<sup>2</sup> (335~388 ft<sup>2</sup>)  
Size: 295x165x410 (mm)

- 2/4/8 Timer
- Child lock
- filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 Filter: Pre-filter&HEPA&Activated carbon filter
- Optional: UVC LED light, Anion, PM2.5 air quality sensor, WIFI



## Home Air Purifier Series

### E-400

Power rating: 65W  
Air flow volume: 370m<sup>3</sup>/h  
Net weight: 4.3kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤60dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 40~45m<sup>2</sup> (430~485 ft<sup>2</sup>)  
Size: 320x185x490 (mm)

- 2/4/8 Timer
- Child lock
- Night light
- filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 Filter: Pre-filter&HEPA&Activated carbon filter
- Optional: UVC LED light, Anion, PM2.5 air quality sensor, WIFI





## E-401

Power rating: 65W  
Air flow volume: 370m<sup>3</sup>/h  
Net weight: 4.3kgs  
Voltage supply: 110V-130V/60Hz,220V-240V/50Hz  
Noise level: ≤60dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 40~45m<sup>2</sup> (430~485 ft<sup>2</sup>)  
Size: 320x185x490 (mm)

- 2/4/8 Timer
- Child lock
- Night light
- filter replacement indicator
- 3 fan speed and sleep mode
- 3 in 1 Filter: Pre-filter&HEPA&Activated carbon filter
- Optional: UVC LED light, Anion, PM2.5 air quality sensor, WIFI

## Home Air Purifier Series





## Home Air Purifier Series

### E-600

Power rating: 48W  
Air flow volume: 480m<sup>3</sup>/h  
Net weight: 6.5kgs  
Voltage supply: 110V-130V/60Hz,220V-240V/50Hz  
Noise level: ≤52dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 55~60m<sup>2</sup> (594~648 ft<sup>2</sup>)  
Size: 330x289x604 (mm)

- 2/4/8 Timer
- Child lock
- Night light
- 3 in 1 Filter: Pre-filter&HEPA&Activated carbon filter
- filter replacement indicator
- 3 fan speed and sleep mode
- indoor temperature & humidity indication
- Optional: UVC LED light, Anion, PM2.5 air quality sensor, WIFI



## Home Air Purifier Series

### B-H04

Power rating: 39W  
Air flow volume: 180m<sup>3</sup>/h  
Net weight: 4kgs  
Voltage supply: 110V-130V/60Hz,220V-240V/50Hz  
Noise level: ≤50dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 20~25m<sup>2</sup> (215~269 ft<sup>2</sup>)  
Size: 329x172x300 (mm)

- IMD Touch Panel
- Timer
- Child lock
- filter replacement indicator
- 3 fan speed and sleep mode
- indoor temperature & humidity indication
- Filter: Antimicrobial&HEPA, Activated carbon&photo catalyst filter
- Optional: UVC lamp, Ozone, Remote control



### B-757M

Power rating: 26W  
Air flow volume: 180m<sup>3</sup>/h  
Net weight: 3.2kgs  
Voltage supply: 110V-130V/60Hz,220V-240V/50Hz  
Noise level: ≤50dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 20~25m<sup>2</sup> (215~269 ft<sup>2</sup>)  
Size: 329x170x300 (mm)

- 2/4/8 Timer
- Child lock
- Touch Panel
- filter replacement indicator
- 3 fan speed and sleep mode
- indoor temperature & humidity indication
- Filter: Antimicrobial&HEPA, Activated carbon&photo catalyst filter
- Optional: UVC LED light





## Home Air Purifier Series

### B-626L

Power rating: 6W  
Air flow volume: 100m<sup>3</sup>/h  
Net weight: 1.6kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤50dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 10~15m<sup>2</sup> (108~161 ft<sup>2</sup>)  
Size: 302x114x239 (mm)

- 2/4/8 Timer
- Touch Panel
- filter replacement indicator
- 3 fan speed
- Optional: UVC LED light
- Filter: Antimicrobial&HEPA, Activated carbon&photo catalyst filter



## Wall mounted Air Purifier Series

### W-676L

Power rating: 38W  
Air flow volume: 200m<sup>3</sup>/h  
Net weight: 4kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤45dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 25~30m<sup>2</sup> (269~323 ft<sup>2</sup>)  
Size: 430x143x306 (mm)

- 2/4 Timer
- Child lock
- Unique wall design
- Indoor temperature indication
- 3 fan speed
- Filter: HEPA, Activated carbon&photo catalyst filter
- Optional: UVC lamp, Remote control



## Home Air Purifier Series

### B-H03

Power rating: 60W  
Air flow volume: 330m<sup>3</sup>/h  
Net weight: 7.1kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤52dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 35~40m<sup>2</sup> (377~430 ft<sup>2</sup>)  
Size: 340x265x610 (mm)

- Timer
- Child lock
- PM2.5 numerical, indoor temperature & humidity display
- filter replacement indicator
- Auto mode, 3 fan speed and sleep mode
- Filter: HEPA, Activated carbon, fibre&photo catalyst filter
- Optional: UVC lamp, Ozone, Remote control, WIFI



### B-H06

Power rating: 45W  
Air flow volume: 280m<sup>3</sup>/h  
Net weight: 6.3kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤52dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 30~35m<sup>2</sup> (323~377 ft<sup>2</sup>)  
Size: 360x206x536 (mm)

- Timer
- Child lock
- PM2.5 numerical, indoor temperature & humidity display
- filter replacement indicator
- Auto mode, 3 fan speed and sleep mode
- Filter: Double HEPA&photo catalyst filter, Double Activated carbon&photo catalyst filter
- Optional: UVC LED light, Ozone, Remote control, WIFI



## 2 in 1 Air Purifier with Humidifier Series

### B-H05

Power rating: 75W  
Air flow volume: 300m<sup>3</sup>/h  
Net weight: 8.2kgs  
water tank volume: 2.4L  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Humidification capacity: 235ml/h  
Noise level: ≤52dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 33~38m<sup>2</sup> (355~409 ft<sup>2</sup>)  
Size: 452x233x438 (mm)

- 2 in 1 Air Purifier & Humidifier
- Ultrasonic humidification
- Child lock, Timer
- filter replacement indication
- with water shortage indication
- Auto mode, 3 fan speed and sleep mode
- Filter: HEPA, Activated carbon&photo catalyst filter
- PM2.5 numerical, indoor temperature & humidity display
- Optional: UVC lamp, Ozone, Remote control, WIFI





## Commercial Air Purifier Series

### B-C02

Power rating: 107W  
Air flow volume: 660m<sup>3</sup>/h  
Net weight: 9.8kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤66dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 70~80m<sup>2</sup> (753~861 ft<sup>2</sup>)  
Size: 460x286x760 (mm)

- Timer
- Child lock
- DC Japan motor
- PM2.5 numerical, indoor temperature & humidity display
- filter replacement indicator
- Auto mode, 5 fan speed and sleep mode
- Filter: Washable Pre-filter, HEPA, Activated carbon&photo catalyst filter
- Optional: UVC lamp, Remote control, WIFI



## Commercial Air Purifier Series

### B-C03

Power rating: 72W  
Air flow volume: 560m<sup>3</sup>/h  
Net weight: 8.7kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤52dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 60~70m<sup>2</sup> (646~753ft<sup>2</sup>)  
Size: 370x265x570 (mm)

- Timer
- Child lock
- PM2.5 numerical, indoor temperature & humidity display
- filter replacement indicator
- Auto mode, 3 fan speed and sleep mode
- Filter: Pre-filter, HEPA, Activated carbon&photo catalyst filter
- Optional: UVC lamp, Remote control, WIFI



### B-C04

Power rating: 55W  
Air flow volume: 480m<sup>3</sup>/h  
Net weight: 10.9kgs  
Voltage supply: 110V-130V/60Hz, 220V-240V/50Hz  
Noise level: ≤52dB(A)  
Negative ions: ≥8.0x10<sup>6</sup>ions/cm<sup>3</sup>  
Applicable area: 55~60m<sup>2</sup> (592~646 ft<sup>2</sup>)  
Size: 449x279x600 (mm)

- Timer
- Child lock
- PM2.5 numerical, indoor temperature & humidity display
- filter replacement indicator
- Auto mode, 3 fan speed and sleep mode
- Filter: Electronic static plasma, HEPA, Activated carbon&photo catalyst filter
- Optional: UVC lamp, Remote control, WIFI



Air purifier witness of history  
Fade away · Regeneration  
Since 2001...

